

Wednesday, August 12, 2015 4:26:50 PM

Item ID: D2873-043

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Nut Plate Assembly

Start Date: 8/12/15 **Start Qty:** 80.00

80

Cust Item ID:

Required Date: 8/12/15 **Req'd Qty:** 80.00

80

Customer:

Reference:

Run Start *NR1*

Approvals: Process Plan: MLJ Date: AUG 13 2015 Tooling: _____ Date: _____

Stop *NR2*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D2873	Rev A

100

0.00

100

BAND SAW

Bandsaw

Memo

0.00

Jeaspa Bandsaw

Cut blanks: 1.000" x 0.375" x 3.700" long

110

0.00

1 10

HAAS CNC VERTICAL MACHINING #1

HAAS 1

Memo

0.20

HAAS CNC vertical machine #1

Machine as per Folio FA and Dwg D2873 Identify as D2873-3
Dwg Rev A Folio Rev AA

120

QC2- Inspect parts off machine FAI/FAIB

0.00

120

QC

Memo

0.01

Quality Control

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	

Root Cause		FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐				

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval	
Description Work Order Deviation				Disposition				Completed By	

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____					
Misidentified ☐	Past Due ☐						

Work Order ID 135398

135398

Page 3

Wednesday, August 12, 2015 4:26:50 PM

Item ID: D2873-043 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Nut Plate Assembly
 Start Date: 8/12/15 Start Qty: 80.00 ***80*** Cust Item ID:
 Required Date: 8/12/15 Req'd Qty: 80.00 ***80*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	Chemical Conversion Coat per QSI005 4.1	0.00							
160						81	4	15-9-15	DGL
HandFinish	Memo	0.03							
Hand Finishing									
170	QC7-Inspect Chemical Conversion Coat	0.00							
170						(81)			DAS 38
QC	Memo	0.01							9-89
Quality Control									SEP 15 2015
180		0.00							
180	Small Fab					81X			15/09/18 DAS 36
Small Fab	Memo	0.04							9-89
Small Fab	1-Assemble as per Dwg D2873 2-Identify as D2873-043								

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	

Root Cause	Pressure/Forced	Temperature/Cure	FAULT CATEGORY
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter	☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes	☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center
☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence			
☐ OTHER : _____			

Work Order ID 135398

135398

Page 4

Wednesday, August 12, 2015 4:26:50 PM

Item ID: D2873-043 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Nut Plate Assembly
 Start Date: 8/12/15 Start Qty: 80.00 ***80*** Cust Item ID:
 Required Date: 8/12/15 Req'd Qty: 80.00 ***80*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190	QC5- Inspect part completeness to step on W/O	0.00							DAS 38 9-89
190									
QC	Memo	0.03							
Quality Control									SEP 18 2015
200	Identify as per dwg & Stock Location LG050	0.00							
200									
Packaging	Memo	0.01							DAS 6 9-89
Packaging	LOCATION : LG052								SEP 21 2015
210	QC21- Final Inspection - Work Order Release	0.00							
210									
QC	Memo	0.13							
Quality Control									ML5 SEP 22 2015

ML5 SEP 22 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	

Root Cause			FAULT CATEGORY		
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐				

Picklist Print

Wednesday, August 12, 2015 4:26:49 PM

Page 1

Work Order ID: 135398

135398

Parent Item: D2873-043

D2873-043

Parent Item Name: Nut Plate Assembly

Start Date: 8/12/15

Required Date: 8/12/15

Start Qty: 80.00

Required Qty: 80.00

Comments: IPP A05.09.13New issueKJ/JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6B0.375X01.00 0		Purchased	No			180	f	30.0020	0.3083	25.96210			

M6061T6B0 375X01 000

6061T6 BAR .375 x 1.00

**

SL 15-8-24

Location

Loc Qty

Loc Code

MAT001

30.002

m132209

10.002

m132772

20

MS20426AD4-6

Purchased

No

180

Each

1,513.000

6

480

MS20426AD4-6

Rivet

**

10.002 x 31 pcs

15.5

231 + 17 pcs

15/09/18

DAS

36

9-89

Location

Loc Qty

Loc Code

GA

686

M128812

16

M132536

670

MF4

177

124392

177

ST312

650

124392

83

M128812

69

M132536

498

MS2107515

Purchased

No

100

Each

152.0000

3

240

MS210751 5

Nut Plate

**

486

15/09/18

DAS

36

9-89

Location

Loc Qty

Loc Code

GA

144

131317

144

ST300

8

123346

8

144

1133019
(99K)

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong		
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions		
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance		
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect		
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing		
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved		
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing		
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Misabeled	☐ Finish		
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread		
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence		
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____					
Misidentified ☐	☐ Past Due						

DART AEROSPACE LTD		Work Order: 135398
Description: Radius Block		Part Number: D2873-3
Inspection Dwg: D2873	Rev: A	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST



☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
3.50	+/-0.030	3.501	/		vern	SL-10
2.000	+/-0.010	2.000	/		-	
0.750	+/-0.010	0.750	/		-	
1.000	+/-0.010	1.000	/		-	
0.250	+/-0.010	0.250	/		-	
1.000	+/-0.010	1.000	/		-	
2.000	+/-0.010	2.000	/		-	
3.000	+/-0.010	3.000	/		-	
Ø0.128	+0.005/-0.001	0.129	/		-	
0.359	+/-0.010	0.359	/		-	
Ø0.316	+0.006/-0.001	0.316	/		-	
1.000	+/-0.010	1.005	/		-	
0.250	+/-0.010	0.249	/		-	
0.061	+/-0.010	0.061	/		-	
Ø0.230 x 0.125	+0.005/-0.001 x 0.010	0.229 x 0.129	/		-	


DAS

Measured by: SL	Audited by: 14 9-89	Prototype Approval:	N/A
Date: 15-8-24	Date: 15/08/26	Date:	N/A


Rev	Date	Change	Revised by	Approved
A	06.08.30	New Issue P/O D2873-043	KJ/JLM	




D2873-041




D2873-3



D2873-043



D2873-5



D2873-045

D2873-1/-3/-5 RADIUS BLOCK


- 1) MATERIAL: 5052-H32/H34 BAR (QQ-A-225/7) (REF. DART SPEC M5052H32B1.000X00.250) OR 6061-T6 BAR (QQ-A-225/8 OR QQ-A-200/8) (REF. DART SPEC M6061T6B1.000X00.250)
- 2) FINISH: ACID ETCH AND ALODINE PER DART QSI 005 4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE INCHES
- 5) BREAK ALL SHARP EDGES 0.010 TO 0.020
- 6) Ø0.128 PILOT + C'BORE CURVED SIDE Ø0.230X0.125 DEEP + C'SINK CURVED SIDE Ø0.225 X 100°

D2873-041/-043/-045 NUT PLATE ASSEMBLY

- 1) INSTALL MS21075L5 NUT PLATE IN ORIENTATION SHOWN USING MS20426AD4-6 RIVETS


D2873-041/-043/-045 NUT PLATE ASSEMBLY PARTS LIST

-041	-043	-045	PART NUMBER	DESCRIPTION
X			D2873-041	NUT PLATE ASSEMBLY
	X		D2873-043	NUT PLATE ASSEMBLY
		X	D2873-045	NUT PLATE ASSEMBLY
1			D2873-1	RADIUS BLOCK
	1		D2873-3	RADIUS BLOCK
		1	D2873-5	RADIUS BLOCK
4	6	4	MS20426AD4-6	RIVET
2	3	2	MS21075L5	NUT PLATE



TOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT 1.000
WITHOUT NOTICE
WORK ORDER
NO. 135.398-ML5

15-08-13



RELEASED
05-07-26

A	05.07.26	NEW ISSUE
DESIGN	PH	DRAWN BY PH
CHECKED	DS	APPROVED DS
DATE	05.07.26	TITLE
		RADIUS BLOCK
		SCALE
		4:3